

# Dr. Muhammad Tahir

## **PUBLICATIONS: (Impact Factor: 15.528)**

1. **Tahir, M.**, and M. Syed. 2001. Effect of rising ambient temperature and humidity beyond thermoneutral zone on production performance of exotic and Sahiwal cattle in NWFP. *Sarhad J. Agric.* 17: 481 – 487
2. Saleh, F., **M. Tahir**, A. Ohtsuka, and K. Hayashi. 2005. A mixture of pure cellulase, hemicellulase and pectinase improves broiler performance. *Br. Poult. Sci.* 46: 602 – 606 (IF: 1.033)
3. **Tahir, M.**, F. Saleh, A. Ohtsuka, and K. Hayahsi. 2005. Synergistic effect of cellulase and hemicellulase on nutrient utilization and performance in broilers fed a corn–soybean meal diet. *Anim. Sci. J.* 76: 559 – 565. (IF: 0.665)
4. **Tahir, M.**, F. Saleh, A. Ohtsuka, and K. Hayahsi. 2006. Pectinase plays an important role in stimulating digestibility of a corn-soybean meal diet in broilers. *J. Poult. Sci.* 43: 323 – 329 (IF: 1.074)
5. Yamamoto M., F. Saleh, **M. Tahir**, A. Ohtsuka, and K. Hayashi. 2007. **The Effect of Koji-feed (Fermented Distillery By-Product) on the Growth Performance and Nutrient Metabolizability in Broiler.** *J. Poult. Sci.* 44:291 – 296 (IF: 1.074)
6. **Tahir, M.**, F. Saleh, A. Ohtsuka, and K. Hayashi. 2008. An effective combination of carbohydrases that enables reduction of dietary protein in broilers: importance of hemicellulase. *Poult. Sci.* 87:713 – 718 (IF: 1.582)
7. Alam, R., A. Iqbal, I. Khan, I. Ali, I. Munir, **M. Tahir**, N. Jan, Z. A. Swati. 2011. Carbon and nitrogen stoichiometry in Brassica napus L. seedlings after supplementation with Ca<sup>2+</sup> and K<sup>+</sup> under irrigated and drought stress conditions. *African J. Biotech.* 10:18418 – 18434 (IF: 0.70)
8. **Tahir, M.**, and G. M. Pesti. 2011. Broiler performance, hatching egg and age relationships of progeny from standard and dwarf broiler dams. *Poult. Sci.* 90: 1364 – 1370 (IF: 1.582)
9. **Tahir, M.**, A. B. Lughmani, and G. M. Pesti. 2011. Evaluation of an indigenous source of rock phosphate as a supplement for broiler chickens. *Poult. Sci.* 90:1983 – 1991 (IF: 1.582)
10. **Tahir, M.**, M. Y. Shim, N. E. Ward, C. Smith, E. Foster, A. C. Guney and G. M. Pesti. 2012. The phytate and other nutrient compositions of feed ingredients for poultry. *Poult. Sci.* 91:928 – 935 (IF: 1.582)
11. **Tahir, M.**, M.Y. Shim, N. E. Ward, M. O. Westerhaus and G. M. Pesti. 2012. Evaluation of near-infrared reflectance spectroscopy (NIRS) techniques for total and phytate phosphorus of common poultry feed ingredients. *Poult. Sci.* 91:2540 – 2547 (IF: 1.582)

12. Shim, M. Y., **M. Tahir**, A. B. Karnuah, M. Miller, T. D. Pringle, S. E. Aggrey and G. M. Pesti. 2012. Strain and sex effects on growth performance and carcass traits of contemporary commercial broiler crosses. *Poult. Sci.* 91:2942 – 2948 (**IF: 1.582**)
13. **Tahir, M.**, and G. M. Pesti. 2012. A comparison of digestible amino acid data bases: relationship between amino acid concentration and digestibility. *J. Appl. Poult. Res.* 21:1 – 12 (**IF: 0.745**)
14. **Tahir, M.**, and G. M. Pesti. 2012. Comparison of ingredient usage and formula costs in poultry feeds using different amino acid digestibility data bases. *J. Appl. Poult. Res.* 21:693 – 705 (**IF: 0.745**)

## **CONFERENCES (Oral): (Impact Factor: 19.952)**

1. A. C. Guney, M. Y. Shim, **M. Tahir**, A. B. Batal, and G. M. Pesti. 2012. Nutritional evaluation and economic analysis of low-oil corn distillers dried grains with solubles. **Poultry Science Association 101<sup>st</sup> Annual Meeting program**, The Georgia Center, Athens, Georgia, Poult. Sci. 91 (Suppl. 1) :P45, 127 (**IF: 1.582**)
2. Miller, M., M. Y. Shim, **M. Tahir**, A. Karnuah, S. Aggrey, G. Pesti, and D. Pringle. 2012. Strain and gender effects on broiler meat quality. **2012 International Poultry Scientific Forum**, Georgia World Congress Center, Atlanta, Georgia, USA, January 23-24, 2012, Poult. Sci. 91 (Suppl. 1) :P182, M1 (**IF: 1.582**)
3. Shim, M. Y., **M. Tahir**, A. Karnuah, M. Miller, D. Pringle S. Aggrey, and G. Pesti. 2012. Strain and sex effects on growth performance, and carcass traits of contemporary cross broilers. **2012 International Poultry Scientific Forum**, Georgia World Congress Center, Atlanta, Georgia, USA, January 23-24, 2012, Poult. Sci. 91 (Suppl. 1) :P184, M7 (**IF: 1.582**)
4. **Tahir, M.**, A. Batal, M. Y. Shim, and G. Pesti. 2012. Economic importance of dietary feed enzymes on the performance of broiler chickens. **2012 International Poultry Scientific Forum**, Georgia World Congress Center, Atlanta, Georgia, USA, January 23-24, 2012, Poult. Sci. 91 (Suppl. 1) :P203, M70 (**IF: 1.582**)
5. **Tahir, M.**, M. Y. Shim, N. Ward, and G. Pesti. 2012. NIRS calibrations for total and phytate P in poultry feed ingredients. **2012 International Poultry Scientific Forum**, Georgia World Congress Center, Atlanta, Georgia, USA, January 23-24, 2012, Poult. Sci. 91 (Suppl. 1) :P207, M85 (**IF: 1.582**)
6. **Tahir, M.** and G. M. Pesti. 2011. Relationship between amino acid concentration and digestibility using the two amino acids digestibility datasets. **2011 International Poultry Scientific Forum**, Georgia World Congress Center, Atlanta, Georgia, USA, January 24-25, 2011, Poult. Sci. 90:P211, 17 (**IF: 1.582**)
7. Sodsee. P., **M. Tahir**, B. Sebastian, S. E. Aggrey, and G. M. Pesti. 2011. Effect of balanced dietary protein levels on egg production and egg quality parameters in commercial layers. **2011 International Poultry Scientific Forum**, Georgia World Congress Center, Atlanta, Georgia, USA, January 24-25, 2011, Poult. Sci. 90:P228, 70 (**IF: 1.582**)
8. **Tahir, M.** H. Cervantes, C. W. Farmer, and G. M. Pesti. 2011. Relationships of egg and chick weight on the performance of progeny from standard and dwarf broiler dams. **2011 International Poultry Scientific Forum**, Georgia World Congress Center, Atlanta, Georgia, USA, January 24-25, 2011, Poult. Sci. 90:P231, 79 (**IF: 1.582**)
9. **Tahir, M.**, A. B. Lughmani, N. Ahmed, and G. M. Pesti. 2011. Hazara rock phosphate as a source of phosphorus for broiler chickens. **2011 International Poultry Scientific Forum**, Georgia World Congress Center, Atlanta, Georgia, USA, January 24-25, 2011, Poult. Sci. 90:P236, 95 (**IF: 1.582**)

10. **Tahir, M.**, P. Sodsee, and G. M. Pesti. 2011. Poultry feed formulation results from different digestible amino acid databases. ***2011 International Poultry Scientific Forum***, Georgia World Congress Center, Atlanta, Georgia, USA, January 24-25, 2011, Poult. Sci. 90:P246-247, 128 (**IF: 1.582**)
11. **Tahir, M.**, F. Saleh, A. Ohtsuka, and K. Hayashi. 2008. Effective combination of cell wall degrading enzymes that can successfully reduce energy and protein contents of broiler feed. ***XXIII World's Poultry Congress***, Brisbane, Australia. 30 June – 4 July, 2008. (**IF: 1.476**)
12. Saleh, F., M. Yamamoto, **M. Tahir**, A. Ohtsuka, and K. Hayashi. 2006. A new natural feed additive for broiler chickens. ***Poultry Science Association Annual Meeting***, Edmonton, Canada. Poult. Sci. 85:P36, 54 (**IF: 1.582**)
13. **Tahir, M.**, F. Saleh, A. Ohtsuka, and K. Hayashi. 2005. Concerted effect of Pectinase, cellulase and Hemicellulase on the digestibilities of corn-soybean meal diet in broiler. ***J. Poult. Sci.*** P68, II19-45. (**IF: 1.074**)

### ***CONFERENCES (Poster):***

1. Pesti, G. M., C. J. Smith, M. Y. Shim, **M. Tahir**, and N. E. Ward. 2011. The phytate phosphorus content of poultry feed ingredients. ***2011 International Poultry Scientific Forum***, Georgia World Congress Center, Atlanta, Georgia, USA, January 24-25, 2011, Poult. Sci. P270, 206P (**IF: 1.582**)