

Prof. Dr. Ijaz Ahmad Khan

## LIST OF PUBLICATIONS

### Impact Factor Publications

1. Shabbir, A., S. Ali, **I.A. Khan**, A. Belgeri, N. Khan and S. Adkins. 2021. Suppressing parthenium weed with beneficial plants in Australian grasslands. *Int. J. Pest Manag.* 67(2). 114-120.
2. Ullah, H., N. Khan and **I.A. Khan**. 2021. Complementing cultural weed control with plant allelopathy: Implications for improved weed management in wheat crop. *Acta Ecologica Sinica*. <https://doi.org/10.1016/j.chnaes.2021.06.006>
3. Bibi, S., **I.A. Khan**, Z. Hussain, S. Zaheer, H. Alsamadany and Y. Alzahrani. 2020. Performance of mungbean under herbicide application and intercropping with maize. *Pak. J. Bot.*, 52(3): 873-87.
4. Luqman, Z. Hussain, M. Ilyas, **I.A. Khan** and T. Bakht. 2020. Influence of sowing orientation and intercropping of chilies on onion yield and its associated weeds in Peshawar, Pakistan. *Pak. J. Bot.*, 52(1): 95-100.
5. Bibi, S., **I.A. Khan**, Z. Hussain, S. Zaheer and S.M.A. Shah. 2019. Effect of herbicides and intercropping on weeds and yields of maize and the associated intercrops. *Pak. J. Bot.*, 51(3): 1113-1120
6. **Khan, I.A.**, Z. Hussain, T. Bakht and Luqman. 2018. Plant spacing and mulching together affect the phenology and yield of tomato crop. *J. Anim. & Plant Sci.* 28(2): 546-551.

7. **Khan, I.A.**, Z. Hussain, Z. Ullah, R. Khan and G. Hassan. 2018. Impact of various weed management approaches on the yield of chickpea *cicer arietinum* L. crop. Pak. J. Bot. 50(2): 635-638.
8. **Khan, I. A.**, and R. Khan, A. Jan and S.M.A. Shah. 2018. Studies on Tolerance of Chickpea to Some Pre and Post-Emergence Herbicides. Emirates J. Food & Agric. 30(9). 725-31.
9. **Khan, I.A.**, R. Khan, G. Hassan, M. Waqas, S.M.A. Shah and S.A. Khan. 2018. Integrated approaches for weed suppression in chickpea (*Cicer arietinum*) under residual moisture after rice crop. Planta Daninha. 36. <http://dx.doi.org/10.1590/S0100-835820183601000>
10. Hassan, G., H.U. Rashid, A. Amin, **I.A. Khan** and N. Shehzad. 2018. Allelopathic effect of *Parthenium hysterophorus* on germination and growth of some important crops and weeds of economic importance. Planta Daninha. 36(4).
11. Khan, N., **I.A. Khan**, K. Naveed, A. Shabbir and S. Adkins. 2018. Root growth responses of parthenium weed and different pasture plants under elevated atmospheric carbon dioxide. J. National Sci. Found. Sri Lanka. 46(3):303-310.
12. Khattak, B., A.U.R. Safi, Z.U.D. Sindhu, M. Attaullah, Q. Jamal, T.A. Khan, M. Hussain, S. Anjum and **I.A. Khan**. 2018. Biological control of *Haemonchus contortus* by fungal antagonists in small ruminants. Applied ecology and environmental research. 16(5):5825-5835.
13. Ali, S. and **I.A. Khan**. 2017. Management of *parthenium hysterophorus* using suppressive plants. Malaysian J. Sci. 36 (2): 75-84.

14. **Khan, I.A.**, G. Hassan, N. Malik, R. Khan, H. Khan and S.A. Khan. 2016. Effect of herbicides on yield and yield components of hybrid maize (*Zea mays* L.). *Planta Daninha*. 34(4): 729-736.
15. Waqas, M., **I.A. Khan**, M. Zahid and I. Duar. 2016. Assessment of herbicides and mulches against weeds and yield of chickpea cultivars. *Int. J. Biosci.* 9(1): 282-290.
16. Hussain, Z., M.A. Khan, M. Ilyas, Luqman and **I.A. Khan**. 2016. Non-chemical weed management in potato at higher elevations. *Applied Ecology & Environmental Research*. 14(5): 67-76.
17. Gul, S., N.U. Khan, R. Gul, M. Baloch, A. Latif and **I.A. Khan**. 2016. Genotype by environment and phenotypic adaptability studies for yield and fiber variables in upland cotton. *J. Anim. & Plant Sci.* 26(3): 776-786.
18. Khan, M.T., I. Khan, M.I. Khan, Z. Hussain, S. Ayub, N. Khan, M. Shuaib and **I.A. Khan**. 2016. Ethnobotanical study of wild flora in the remote areas of Northern Pakistan. *Wulfenia*. 23(10): 149-165.
19. Shah, S.M.A., A. Rahman, H. Rahman, M. Ismaeel, S.A. Khan, **I.A. Khan**, A. Raza and F. Aman. 2016. Heritability and genetic advance for yield and yield related attributes in  $F_2$  rice populations. *Int. J. Biosci.* 9(3): 170-176.
20. Khan, M.I., I. Khan, N. Khan, B. Gul, **I.A. Khan**, M. Iqbal and H. Bibi. 2016. Varietal response of maize (*Zea mays* L.) against weeds aqueous extracts. *Applied Ecology & Environmental Research*. 14(4): 569-576.
21. Khan, R. and **I.A. Khan**. 2015. Varietal response of chickpea (*Cicer arietinum* L.) towards the allelopathy of different weeds. *Sains Malaysiana*, 44 (1): 25-30.

22. Rahman. A., S.M.A. Shah, H. Rehman, I.H. Khalil and **I.A. Khan**. 2015. Genetic variability for morphological parameters in  $F_2$  segregating populations of rice. Pak. J. Bot. 47(5): 1759-1764.
23. Bakht, T., **I.A. Khan**, K.B. Marwat and Z. Hussain. 2014. Integration of row spacing, mulching and herbicides on weed management in tomato. Pak. J. Bot. 46(2): 543-547.
24. Hussain, Z., K.B. Marwat., J. Cordina and **I.A. Khan**. 2014. *Xanthium strumarium* L. impact on corn yield and yield components. Turk. J. Agric. Forest. 38 (1): 39-46.
25. Bakht, T. and **I.A. Khan**. 2014. Weed control in tomato (*Lycopersicon esculentum* Mil L.) through mulching and herbicides. Pak. J. Bot. 46(1): 289-292.
26. **Khan, I.A.**, M.I. Khan, I. Khan, M. Imran, M. Idrees and S. Bibi. 2013. Effect of different herbicides and weeds extracts on the yield and yield components of wheat (*Triticum aestivum* L.). Pak. J. Bot. 45(3): 981-985.
27. Khan. M.A., S. Kakar, K.B. Marwat and **I.A. Khan**. 2013. Differential response of *Zea mays* L. in relation to weed control and different macronutrient combinations. Sains Malaysiana 42(10): 1395–1401.
28. Iqbal, Z., M. Iqbal, H. Bibi, M. Sajid, **I.A. Khan** and H. Shah. 2013. Feeding of L- phenylalanine as precursor enhances strobilurin A biosynthesis in the basidiomycete, *strobilurus tenacellus*. Afri. J. Microbiol. Res. 7(11): 921-924
29. **Khan, I.A.**, G. Hassan, S.A. Khan and S.M.A. Shah. 2012. Wheat-Wild oat interactions at varying densities and proportions. Pak. J. Bot. 44(3). 1053-1057.

30. **Khan, I.A**, K.B. Marwat, G. Hassan, R. Khan and Z. Ullah. 2012. Suppressive capability of herbicides and plant extracts against chickpea weeds. J. Anim. & Plant Sci. 22(2). 67-69.
31. **Khan, I.A**, Z. Ullah, G. Hassan, K.B. Marwat, S.M.A. Shah and S.A. Khan. 2011. Impact of different mulches on weed flora and yield of maize. Pak. J. Bot. 43(3). 1601-1602.
32. Bibi, M, N.U. Khan, F. Mohammad, R. Gul, **I.A. Khan** and M. Idrees. 2011. Genetic disparity and relationship among quantitatively inherited yield related traits in diallel crosses of upland cotton. Pak. J. Bot. 43(5). 2543-2550.
33. Jan, A., I. Daur, Z. Muhammad and **I.A. Khan**. 2011. Effect of mungbean residue and nitrogen levels on barley. Pak. J. Bot. 43(4).1905-1908.
34. Khan, S.A., N.U. Khan, M. Ahmad, **I.A. Khan** and Z. Bibi.2011. Combining ability analysis in Intraspecific F<sub>1</sub> diallel crosses of upland cotton. Pak. J. Bot. 43(3).1719-1723.
35. Shah, S.M.A, H. Rehaman, F.M. Abassai, M.A. Rabbani and **I.A. Khan**. 2011. Interspecific variation of total seed protein in wild rice germplasm using SDS-PAGE. Pak. J. Bot. 43(4): 2147-2152.
36. **Khan, I.A**, G. Hassan, K.B. Marwat, S.M.A. Shah and S.A. Khan. 2010. Interaction of wild oats (*Avena fatua* L.) with divergent wheat cultivars. Pak. J. Bot. 42(2):1051-1056.
37. Jan, A., I. Daur, K. Ali and **I.A. Khan**. 2010. Tillage and seed rates effect on weed biomass, grain and biological yield of dryland chickpea. Pak. J. Bot. 42(6).4011-4016.

38. **Khan, I.A.**, G. Hassan and K.B. Marwat. 2008. Interaction of wild oats (*Avena fatua* L.) with spring wheat seeded at different rates. Pak. J. Bot.40(3) :1163-1167
39. **Khan, I.A.**, G. Hassan, K.B. Marwat and Ihsanullah. 2008. Efficacy of some pre and post-emergence herbicides on yield and yield components of canola. Pak. J. Bot.40 (5):1943-1947.
40. Saeed, M., K.B. Marwat, G. Hassan and **I.A. Khan**.2010. Interference of horse purslane (*Trianthema portulacastrum* L) with maize at different densities. Pak. J. Bot.42 (1):173-179.
41. Batool, S., Khan, N.U., G. Hassan, K.B. Marwat, Raziuddin and **I.A. Khan**. 2010. Heritability and genetic potential of upland cotton genotypes for morpho-yield traits. Pak. J. Bot. 42 (2): 1057-1064.
42. Bakhtiar, G., K.B. Marwat, G. Hassan, M. Azim Khan, S. hashim and **I.A. Khan**. 2009. Impact of tillage, plant population and mulches on biological yield of maize. Pak. J. Bot. 41 (5): 2243-2249.
43. Khan, N.U., G. Hassan, K.B. Marwat and **I.A. Khan**. 2009. Genetic variability and heritability in upland cotton. Pak. J. Bot. 41 (4): 1695-1705.
44. Ihsanullah, K.B. Marwat and **I.A.Khan**. 2008. Effect of different levels of nitrogen on dry matter and grain yield of faba bean (*Vicia faba* L.). Pak. J. Bot.40 (6):2453-2459.
45. Shah, S.M.A, H. Rehaman, F.M. Abassai, M.A. Akhtar, A. Rafi and **I.A.Khan**. 2009. Resistance characterization of wild relatives of rice in response to bacterial blight. Pak. J. Bot. 41(2)917-925.

## **International Publications**

1. **Khan, I.A.**, Waqas, M., Shah, S.M.A., Khan, N., and Khan, R. 2017. Evaluation of different techniques for economical control of weeds associated to chickpea. Tunisian J. Plant Protect. 12: 115-122.
2. Sajid, M., **I.A. Khan**, A. Rab, S. Khan and I. Ullah. 2016. Weed control efficiency of bioherbicides and mulches on yield and yield components of tomato. Thai J. Agric. Sci. 49(2):56-62.
3. Ahmad, I., Saifullah, M. Ahmad, **I.A. Khan**, R. Ali and A. Abbas. 2015. Incidence of root-knot nematode in winter weeds of tomato in Malakand division-Pakistan. J. Entomol & Zool Stud. 3(6): 385-391.
4. **I.A. Khan**, Z. Ullah and R. Khan. 2013. Weed flora in chickpea at district Karak, Khyber Pakhtunkhwa-Pakistan. Thai J. Agric. Sci. 46(2): 71-74.
5. **Khan, I.A.**, Z. Ullah and I. Daur. 2013. Comparison of different weed control techniques in Maize. Global J. Sci. Frontier Res. 13 (4).13-15.
6. M. Sajid, I.Hussain, **I.A. Khan**, A.Rab, I. Jan, F. Wahid and S.T Shah. 2013. Influence of organic mulches on growth and yield components of peas cultivar. Greener J. of Agric. Sci. 3(8):652-657.
7. Naveed, S., F.Hussain, I.Khattak, **I.A.Khan** and Barakatullah. 2012. Allelopathic potential of *Forsskaolea tencissemma*. Int. J. Medic. & Appl. Sci. 1(1):5-14
8. Khan, A., **I.A. Khan**, R. Khan and S. Zarin. 2011. Allelopathic effects of *Parthenium hysterophorus* L. on seed germination and growth of soybean, mung bean and maize. Herbologia. 12(3):129-136.
9. Khan, M.I., G. Hassan, I. Khan and **I.A. Khan**. 2009. Herbicides and their doses effects on *Asphodelus tenuifolius* CAV. In chickpea. Herbologia 10(2):75-83.
10. **Khan, I.A.**, G. Hassan, Ihsanullah and M.N. Geverk. 2006. Yield potential and allelopathic effects of some wheat cultivars on wild oats (*Avena faua* L.). Turk. J. Field Crops 10 (1): 12-16

11. **Khan, I.A.**, G. Hassan, K.B. Marwat and Iftikhar A. Khattak. 2006. Yield and yield components of wheat affected by wild oats (*Aven fatua L.*) densities under irrigated conditions. *Herbologia* 7(2):31-39.
12. Hassan, G., I.Khan and **I.A. Khan**. 2006. Studies on floristic composition of chickpea weed in district Karak, Pakistan. *Iranian J. Weed Sci.* 2(1) 69-80.

### National Publications

1. Khattak, B., H. Wang, F. Lin, Saifullah, Q. Jamal and **I.A. Khan**. 2018. Single spore isolation and molecular characterization of *Trichoderma* species from agricultural fields of Zhejiang province, China. *Pakistan J. Phytopath.* 30. 115-119.
2. Khattak, B., Saifullah, S. Hussain, M. Ahmad, A. Ali, M. Junaid, **I.A. Khan**, T.A. Khan and M. Hussain. 2018. Genetic relatedness among the indigenous isolates of *Trichoderma harzianum*, using RAPD and their nematocidal capabilities against *Meloidogyne javanica*. *Sarhad J. Agric.* 34(2): 486-493.
3. **Khan, I.A.**, M. Bilal, B. Gul, H. Khan and B. Khattak. 2017. Effect of various ph and salinity levels of water on the germination and growth of *Typha latifolia L.* *Pak. J. Weed Sci. Res.* 23(3): 315-321.
4. Ali, S., and **I.A. Khan**. 2017. Distribution of *Parthenium hysterophorus L.* in the Swabi District of Khyber Pakhtunkhwa. *Sarhad J. Agric.* 33(2): 269-275.
5. Rahman Z.U., S.M.A. Shah, H.U. Rahman, F. Mohammad, M.A. Raza and **I.A. Khan**. 2017. Assessment of rice genotypes against bacterial leaf blight resistance. *Sarhad J. Agric.* 33(2): 293-297.

6. Hussain, Z., M. Ilyas, Luqman, **I.A. Khan**, I. Ullah and K. Ullah. 2017. Plant spacing and mulching effect on onion yield and weeds. *Pak. J. Weed Sci. Res.* 23(1): 65-77.
7. **Khan, I.A.**, S.U. Kakar, Z. Hussain and R. Khan. 2016. Importance value indices of weeds infesting maize crop in the new developmental farm of the University of Agriculture Peshawar. *Pak. J. Weed Sci. Res.* 22(1): 63-68.
8. Bibi, S. and **I.A. Khan**. 2016. Impact of weed control techniques on intercropping of mungbean with maize under agro climate condition of Peshawar. *Sarhad J. Agric.* 32(2): 62-69.
9. Hussain, Z., M. Ilyas, Luqman, **I.A. Khan**, F. Shehzad, I. Khan, M.I. Khan and B. Khan. 2016. Effect of sowing direction, plant spacing and weed control treatments on tomato yield and its weeds. *Pak. J. Weed Sci. Res.* 22(1): 49-62.
10. Hussain, Z., M. Ilyas, Luqman and **I.A. Khan**. 2016. Influence of sowing orientation and intercropping of chili on tomato yield and its weeds. *Pak. J. Weed Sci. Res.* 22(3): 395-406.
11. Said, F., M. Inayatullah, S. Ahmad, **I. A. Khan** and S. Haq. 2015. Comparing the effect of different plant extracts with a chemical insecticide for management of the aphid, *aphis gossypii* in sunflower. *Pak. J. Weed Sci. Res.* 21(3): 359-368.
12. Bibi, S. and **I.A. Khan**. 2014. Effect of intercropping on biomass of weeds and the associated crops. *Pak. J. Weed Sci. Res.* 20(4): 553-562.
13. Khan, R., Obaid-ur-Rehman, **I.A. Khan**, M. Haroon, M. Waqas, M. Ramzan and S. Uddin. 2014. Suppression of some broad leaf weeds through herbicides and pathenium extract. *Pak. J. Weed Sci. Res.* 20 (1): 51-58.
14. Ullah, H., G. Hassan, I. Khan, M. I.Khan and **I.A. Khan**. 2013. Effect of different mulches and herbicides on potato and associated weeds. *Pak. J. Weed Sci. Res.* (2):191-200
15. Khan, N., N.W. Khan and **I.A. Khan**. 2012. Integration of nitrogen fertilizer and herbicides for efficient weed management in maize crop. *Sarhad J. Agric.* 28(3):457-463.

16. Karimi, M. Ibrahim, G.Hassan, M.I. Khan, I. Khan and **I. A.Khan**. 2012. The impact of chemical and non-chemical weed control methods on weed dynamics and on the yield of onion. Pak. J. Weed Sci. Res. 18(2): 225-26389.
17. Khan.A.M, Z.Hussain, I.Khan, R. Khan, Z.Ali and **I.A.Khan**. 2012. Studies on weed seed bank of new developmental form, KPK Agricultural University Peshawar, Pakistan. Pak. J. Weed Sci. Res. 18(2): 183-189.
18. Sajid. M., A. Rab, N.U. Amin, I. Ahmad, I.A. Khan and M.A. Khan. 2011. Effect of herbicides and row spacing on the growth and yield of pea. Pak. J. Weed Sci. Res. 18(1): 1-13.
19. Khan. A., **I. A. Khan**, R. Khan, I. Khan, Z. Hussain, S. Ali and M.A. Raza. 2011. Important chickpea weeds of new Developmental farm, Khyber Pakhtunkhwa Agricultural University Peshawar, Pakistan. Pak. J. Weed Sci. Res. 17(3): 271-276.
20. Khan. I., K.B. Marwat, **I. A. Khan**, H. Ali, K. Dawar and H. Khan. 2011. Invasive Weeds of Southern Districts of Khyber Pakhtunkhwa-Pakistan. Pak. J. Weed Sci. Res. 17(2): 61-174.
21. Bakht, T., **I.A. Khan**, M.I. Khan, I. Khan and A.M. Khattak. 2009. Weed control in pea through mulches. Pak. J. Weed Sci. Res. 15: 83-89.
22. **Khan, I.A** and G. Hassan. 2008. Competition of wild oats with different wheat cultivars. Sarhad J. Agric. 24 (1): 113-116.
23. Iqbal, K., M. Sulaiman, I. Khan, **I. A. Khan** and M.I. Khan. 2009. The effect and cost benefit ratio of different weeding methods on the yield of chickpea under agro-climatic conditions of district karak. Pak. J. Weed Sci. Res. 16(4): 431-442.
24. Ihsanullah, **I.A.Khan** and M. Jahangir. 2008. Nutritinal quality of roasted and pressure-cooked chickpea compared to raw seeds. Sarhad J. Agric. 24 (1): 117-121.
25. Abdullah, G. Hassan, **I.A. Khan** and S.A Khan. 2008. Impact of planting methods and herbicides on weed biomass and some agronomic traits of maize. Pak J. Weed Sci. Res. 14(3-4): 131-140.

26. Ahmad, S., H. Bangash and **I.A. Khan** 2008. Cooperation and competition: An experimental study on children in Peshawar city. Sarhad J. Agric. 24 (2): 391-397.
27. Abdullah, G. Hassan, **I.A. Khan** and M. Munir. 2007. Effect of planting methods and herbicides on yield and yield components of maize. Pak J. Weed Sci. Res. 13(1-2): 39-48.
28. **Khan, I.A.**, G. Hassan, K.B. Marwat and M. Khan. 2006. Interspecific competition of tall and dwarf wheat cultivars with wild oats (*Avena fatua* L.). Pak J. Weed Sci. Res. 12(3): 151-156
29. Khattak, I.A, **I.A. Khan**, and W. Nazif. 2006. Weeds as human food- a conquest for cheaper mineral sources. J. Agric. Biol. Sc. 1(2): 12-15.
30. **Khan, I.A** and G. Hassan. 2006. Effect of wild oats (*Avena fatua*) densities and proportions on yield and yield components of wheat. Pak J. Weed Sci. Res. 12(1-2): 69-77.
31. Shah, S., M. Qasim and **I.A. Khan**. 2006. Study of medicinal plants among weeds of wheat and maize in Peshawar region. Pak J. Weed Sci. Res. 12(3): 191-197.
32. Marwat K.B., **I.A. Khan**, M.I. Khan and Z. Hussain. 2005. Herbicide evaluation for weed control in chickpea. Pak J. Weed Sci. Res. 11(3-4): 147-150.
33. Hanif Z., S.A. Khan, K.B. Marwat and **I.A. Khan**. 2004. Important weeds of wheat crop of Malkandher farm NWFP Agriculture University Peshawar. Pak J. Weed Sci. Res. 10(3-4): 109-112
34. Marwat, K.B., **I.A.Khan**, G.Hassan and Naqibullah Khan. 2004. Efficacy of different pre and post-emergence herbicides for controlling weeds in chickpea. Pak J. Weed Sci. Res. 10(1-2): 51-54
35. Marwat K.B., **I.A.Khan** and Zahid Hanif. 2004. Efficacy of different herbicides for controlling grassy weeds in chickpea (*Cicer arietinum* L.). Pak J. Weed Sci. Res. 10(3-4): 139-144
36. Khan, M. Ishfaq, G. Hassan and **I.A.Khan**. 2004. Studies on chemical weed control in wheat (*Triticum aestivum* L.). Pak J. Weed Sci. Res. 10(3-4): 113-118

37. Khan I., G.Hassan, M.I. Khan and **I.A. Khan**. 2004. Efficacy of some new herbicidal molecules on grassy and broadleaf weeds in wheat-II. Pak J. Weed Sci. Res. 10(1-2): 33-38
38. **Khan, I.A.**, G. Hassan and Ihsanullah. 2003. Efficacy of pre-emergence herbicides on the yield and yield components of Canola. Asian J. Plant Sci. 2 (3): 251-253
39. **Khan, I.A.**, G. Hassan, Ihsanullah and Muhammad Azim Khan. 2003. Efficacy of post-emergence herbicides for controlling weeds in Canola. Asian J. Plant Sci. 2 (3): 294- 296
40. Shah, N., G.Hassan, **I.A.Khan** and Abdul Azim. 2003. Management of grassy and broadleaf weeds in potato in the hills of Hazara. Pakistan. Pak J. Weed Sci. Res. 9(1-2): 111-116
41. Ihsanullah, F.H. Taj and **I.A. Khan**. 2003. Response of maize under different weed management. Asian J. Plant Sci. 2 (1): 1-3
42. Khan, M. Ishfaq, G. Hassan and **I.A. Khan**. 2003. Studies on post-emergent chemical weed control in wheat (*Triticum aestivum L.*). Pak J. Weed Sci. Res. 9(3-4): 147-152
43. Khan M.A., K.B. Marwat, N.Khan and **I.A. Khan**. 2003. Efficacy of different herbicides on the yield and yield components of maize. Asian J. Plant Sci. 2 (3): 300-304
44. Marwat K.B., Z. Hussain and **I.A. Khan**. 2003. Impact of weed management on rapeseed. Pak J. Weed Sci. Res. 9(3-4): 209-214
45. Marwat K.B., B. Gul and **I.A. Khan**. 2003. Efficacy of different herbicides for controlling weeds in onion. Pak J. Weed Sci. Res. 9(3-4): 225-228
46. Wazir M. Gul, N.A., A. Aziz and **I.A. Khan**. 2003. Effects of different soil media on the growth of dracaena dermensis var. Janet Craigie cuttings. Sarhad J. Agric. 19(1): 31-34
47. **Khan, I.A.**, J. Bakht, W.A. Shah and N. Khan. 2002. Effect of seed rate on the yield and yield components of wheat under irrigated conditions of Peshawar. Asian J. Plant Sci. 1 (5): 513-515.

48. Ihsanullah, A. Jan, F.H. Taj and **I.A. Khan**. 2002. Effect of sowing dates on yield and yield components of mashbean varities. Asian J. Plant Sci. 1 (6): 622-624
49. Jan, A., N.U. Khan, N.Khan and **I.A. Khan**. 2002. Chemical composition of Canola as affected by nitrogen and sulfur. Asian J. Plant Sci. 1 (5): 519-521
50. Khan, N., A. Jan and **I.A.Khan**. 2002. Response of wheat cultivars to varying seeding rates under rainfed conditions. Asian J. Plant Sci. 1 (4): 343-345.
51. Luqman, M., N.A, Ihsanullah and **I. A. Khan**. 2002. A farming survey of non-cultivation of date palm in district Karak. Asian J. Plant Sci. 1 (5): 602-603
52. Yousafzai, H., M.Arif, R. Gul, N.Ahmad and **I. A. Khan**. 2002. Effect of sowing dates on maize cultivars. Sarhad J. Agric. 18 (1): 11-15
53. Khan, N. A. Jan. Ihsanullah and **I. A Khan**. 2002. Response of Canola to nitrogen and sulfur nutrition. Asian J. Plant Sci. 1 (5): 516-518
54. Khattak, I. Saeed, G. Hassan and **I.A. Khan**. 2001. Evaluation of some elite breeding lines of wheat under the rainfed conditions of Kohat. Sarhad J. Agric. 17(4): 565-569